CANYON USB PC Camera User's Manual

Please read this manual before use

Notice: DO NOT PLUG WEB-CAM INTO USB PORT BEFORE DRIVER IS INSTALLED! If have already plugged the PC-Cam, please get it unplugged and follow the following Step.

1. Features

- √ Perfect for video chatting
- √ 1.3Mega Pixels CMOS sensor
- √ True 1280 x 960 @ 15 fps
- √ Snap shot button
- √ 24-bit true color JPEG/BMP file format
- √ Works with messenger software like Skype, MSN, Yahoo

2. System requirement

* IBM PC or compatible PC or laptop with USB port
* Pentium 1G or higher CPU
* Windows 2000/ Windows XP/ Windows 2003
* Over 500MB free hard-disc space
* CD-ROM driver and 256MB memory
* Support DirectX 9.0 VGA card

3. Package Content

* PC Camera
* User's manual
* Driver CD

4. Installation/Uninstallation

4.1 Place the driver CD into your CD-ROM, the computer screen will autorun the driver installation, please choice install driver, and then the system will automatically install the driver (figure 1).

InstallShield Wizard
USB PC Camera Setup is preparing the InstallShieldR Wizard, which will guide you through the rest of the setup process. Please wait.
Cancel

Figure 1

4.2 Click"**Next**" to continue installation (Figure 2).


InstallShield Wizard
Welcome to the InstallShield Wizard for USB PC Camera
The InstallShieldR Wizard will install USB PC Camera on your computer. To continue, click Next.
< Back
Next >
Cancel

Figure 2

4.3 Installing (Figure 3)



Figure 3

4.4 Click"**Finish**" to complete installation (Figure 4).



Figure 4

4.5 After finishing installation, reboot the system, connect the camera USB connector to the computer USB port, the system will automatically detect the device (Figure 5).

Figure 5

4.6 After system reboot, you can find the USB PC Camera information either in the Start menu (Figure 6). And now it's available for using.

4.7 Start your Web Cam by selecting the Application Program from Start menu as shown below.



Figure 6

4.8 You will see the preview picture of the Web-Cam

AMCAP - C:\Documents and Settings\Administrator\My Documents\abc
File Devices Options Capture Help
USB2.0 PC Camera (SN9C201)

4.9 By Clicking the Video Capture Pin.... from Option Menu you can adjust the resolution of preview window





4.10. By clicking the Video Capture Filter, You can enter into settings, from this page you can adjust the quality of the picture.



4.11. If you want to remove the program, you can choose uninstall program from the *Start/Program* menu (Figure 7) or *Add or Remove Programs* from the control panel (Figure 8) to proceed. And follow uninstall procedure step by step.



Figure 7



figure 8



Figure 9


InstallShield Wizard
USB PC Camera Setup is preparing the InstallShieldR Wizard, which will guide you through the rest of the setup process. Please wait.
Cancel

Figure 10

Confirm Driver Remove
The driver has been detected in your machine.
Would you like to uninstall the driver?
Notice: If your system is Windows2000 or Windows XP,Please plug PC Camera,then press 'OK'button to uninstall driver.
OK
CANCEL

Figure 11



Figure 12

5. Applications

Microsoft video capture tool “AMCAP” are built-in in this camera. Find the application tool from *Start/Program* menu and activate.